



B_{v2}TrS Appraiser Model: Enforcing BHARAT Version2 in Tree Soft Modelling for Appraising E-Mobility Hurdles

Mona Mohamed ^{1*} , Florentin Smarandache ² , and Michael Voskoglou ³ 

¹ Higher Technological Institute, 10th of Ramadan City 44629, Egypt; mona.fouad@hti.edu.eg.

² University of New Mexico, 705 Gurley Ave., Gallup, NM 87301, USA; smarand@unm.edu.

³ School of Engineering, University of Peloponnese (ex-Graduate TEI of Western Greece), 26334 Patras, Greece; mvoskoglou@gmail.com.

* Correspondence: mona.fouad@hti.edu.eg

Abstract: Electric vehicles (EVs) are being introduced to lessen greenhouse gas (GHG) emissions, air pollution, and reliance on fossil fuels. As a result of the government's aggressive promotion of EVs and rising environmental consciousness, EVs are quickly rising to the top of the low-carbon transportation market. Several viewpoints suggested that shifting to electric vehicles has been seen as a potential way to achieve sustainable mobility. Nevertheless, many studies discussed the obstacles and hurdles that obstruct the embracing of various electric-mobility (E-mobility) as EVs and electric-scooters (E-scooters) as eco-friendly means. Herein, we discussed these hurdles and determined them through surveys for prior studies. Therefore, appraising these hurdles is the objective of our study. Best Holistic Adaptable Ranking of Attributes Technique – version 2 (BHARAT -v2) as a novel Multi-Criteria Decision Making (MCDM) technique is leveraged as an appraiser technique for these hurdles. Tree Soft (TrS) methodology is utilized for modeling these hurdles. Hence, we hybridized and integrated two methodologies for constructing BHARAT v2 Tree Soft (Bv2TrS) as an appraiser model. Subsequently, we discussed the findings of the Bv2TrS appraiser model.

Keywords: Electric Vehicles (EVs); Electric-Mobility (E-mobility); Tree Soft; Multi-Criteria Decision Making (MCDM); Best Holistic Adaptable Ranking of Attributes Technique - version2 (BHARAT-v2).

1. Introduction

A global effort is underway to employ renewable energy sources to cut greenhouse gas emissions ;hence achieving a green environment. There are several motivations why nations embrace the concept of a green environment. Whilst [1] highlighted two well-known important environmental issues that are facing the world now are climate change and global warming. Also, the scholars demonstrated that the transport sector is considered the main contributor to these issues. This has been confirmed by [2] where more than 20% of the world's CO₂ emissions come from the transportation sector. [3] stated that fossil fuels like petroleum and diesel, whose burning produces carbon dioxide and other greenhouse gases, are largely used in transportation. As well [4] indicated that India's swift industrialization and commercialization will increase the country's need for transportation, which would increase the demand for vehicles. One growing concern among these forecasts of affluence in the future is global warming. Thereby [5] fossil fuel-powered vehicles are starting to be banned by several territories. An impending shift in the transportation system [6] toward a low-carbon, ecologically sustainable regime is necessary to combat the danger posed by greenhouse gas (GHG) emissions, air pollution, and reliance on finite fossil fuels.

Given a variety of technologies, approaches, and innovations in [7] to help decarbonization, the market for electric vehicles (EVs) is expanding quickly. Moreover, EVs were introduced by Kumar et

al. [8] as one of the best ways to address the current climate crisis. This alteration provides safe, emission-free transportation, improves health, lowers energy prices and consumption, preserves land, and creates jobs [9]. According to [10] As environmentally beneficial and sustainable substitutes for traditional internal combustion engine (ICE)-based automobiles, EVs have drawn a lot of interest.

Even while EVs are better for the environment, there are still significant barriers to their widespread adoption. prior perspectives as [11] categorized the obstacles and hurdles to market penetration from the viewpoints of investors, manufacturers, and governmental organizations. Others as [12] highlighted three categories have been identified as the elements influencing consumers' inclinations to embrace electric vehicles: A user's psychological factors include driving experience, attitudes, emotions, perceived behavioral control, societal influence, and symbolic value. (i) Situational factors include technical specifications, price, environmental factors, and subsidy policy. (ii) Individual variables include gender, age, occupation, income, and education. (iii) Household variables include vehicle ownership, accessibility to plug-in vehicles at home, and household size.

Accordingly, various scholars as [13] Prior research have attempted to determine the hurdles to EV adoption from the viewpoints of experts or users. A pilot study of the clients and expert opinion have been utilized to direct the research to narrow down the identified hurdles. Thereby [14] emphasized the existence of interrelatedness between the examined EV hurdles using factor analysis and recommended, simplifying the problem, concentrating on the reduced set of barriers according to the degree of linkage between those.

Herein, we are analyzing electric mobility in other words e-mobility's hurdles in the form of categories and sub-categories. Hence, we are structuring this problem into a hierarchical shape by using a novel methodology of tree soft sets (TSSs) introduced by Smarandache [15]. Also, this methodology has proven its efficiency and implemented in other studies and applications as evaluating Cloud Services [16] also, in bioinformatics problems [17]. Nevertheless, analyzing mobility's hurdles is based on experts who are related to this field. The appraising process is conducted through leveraging the ability of Multi-Criteria Decision Making (MCDM) techniques which are able to treat conflicting criteria[18–22]. Accordingly, this study contributed to harnessing a novel technique of MDM is Best Holistic Adaptable Ranking of Attributes Technique (BHARAT). this technique is proposed by Rao [23] which harnessed BHARAT version-1 for the first time in selecting optimal electronic commerce (E-commerce) websites in [24].

Generally speaking, the study's objectives are illustrated in a set of points:

1. Conducting surveys related to our scope based on prior studies.
2. Highlighting the importance of e-mobility and EVs toward bolstering the green environment as a result of the previous point. Also, e-mobility's hurdles impede the embracing and implementation of e-mobility and EVs.
3. Determining the hurdles of e-mobility and classifying it into a set of levels through leveraging TSSs.
4. Appraising the determined hierarchical hurdles through BHARAT -v2 of MCDM techniques based on a soft scale used by an expert for appraising. Resulting in, constructing a BHARAT-v2 tree soft model ($B_{v-2}TrS$) to appraise e-mobility's hurdles.
5. The most and least influential hurdle is the result of the $B_{v-2}TrS$ model.

2. Survey of the Scientific Studies and Methodologies

The intent of conducting this section is to survey and examine the related studies that serve and cover the study's objectives which are stated in previous points.

2.1 Obstacles to Embracing Electric Mobility

For analyzing the e-mobility's hurdles, the crucial step is determining contraindications that retard the implementation of e-mobility for achieving a green environment. The result of conducted surveys of [4, 25] is aggregated in Figure 1.




Figure 1. Electric-mobility hurdles.

2.2 Methodologies for Evaluation E-Mobility

Herein, we highlight the utilized methodologies that volunteered for appraising e-mobility with various purposes.

The appraising process for e-mobility is conducted by constructing pair-wise matrices based on the Analytical Hierarchical Process (AHP) in [26]. the best and worst criterion that contributes to appraising e-mobility is determined through [27] by employing the best-worst method (BWM). Others rank a set of alternatives of e-mobility and select the optimal one amongst the determined alternatives with support of the Technique for Order of Preference by Similarity to the Ideal Solution (TOPSIS) [28]. Another ranker of MCDM is exploited for ranking alternatives which is represented in Visekriterijumska optimizacija KOMPromisno Resenje (VIKOR) [29] with support from objective MCDM method of entropy for obtaining criteria's weights. Ecer et al. [30] Used weight-multiplied comparable and weight-similar sequences for performance analysis, the COmbined COmpromise Solution (CoCoSo) technique generates a ranking list. MCDM techniques and the Delphi study are used in [31] to identify and assess the drivers for addressing LIB recycling and explore its key drivers.

2.3 Core Concepts: New Methodologies in Decision-Making

This sub-section intends to illustrate the utilized key conceptions in this study and their role in the appraising process.

2.3.1 Tree Soft Methodology: Structuring Appraising Problem into Hierarchical Form

We are using a novel expansion of the soft set involved in TSSs in this investigation, which was first introduced by Smarandache and emphasized in [15]. After that scholars of [16] embraced this new expansion and described it as:

Let \mathfrak{K} be a universe of discourse that includes τ a non-empty as a subset of \mathfrak{K} , thus the powerset of τ expressed as $p(\tau)$.

Assume that our tree soft set encompasses a set of levels, each one has a multitude of nodes:

Level 1: consists of a multitude of nodes where each node represents the main criteria or hurdles, then expressed as $Hu = \{Hu_1, Hu_2, \dots, Hu_n\}$ for integer $n \geq 1$.

Level 2: includes several sub-nodes of $\{Hu_1, Hu_2, \dots, Hu_n\}$ and stated as $\{Hu_{1-1}, \dots, Hu_{1-n}\}$ branched of Hu_1 , $\{Hu_{2-1}, \dots, Hu_{2-n}\}$ branched of Hu_2 , finally $\{Hu_{n-m}, \dots, Hu_{n-m}\}$ branched of Hu_n .

We call the leaves of the graph-tree, all terminal nodes (nodes that have no descendants).

Then, Tree Soft Set: $F: P(\text{Tree}(Hu)) \rightarrow P(\tau)$.

Tree (Hu) is the set of all nodes and leaves (from level 1 to level n) of the graph tree, and $P(\text{Tree}(\delta))$ is the powerset of the Tree (Ind). All node sets of TSSs of level n as $\text{Tree}(Hu) = \{Hu_{nm} \mid nm = 1, 2, \dots\}$.

2.3.2 Novel BHARAT: Analyzing Hurdles and Sub-hurdles in Constructed Tree Soft

Generally, BHARAT is considered a novel MCDM technique proposed by Rao [23]. Moreover, it is illustrated and applied in [24]. Herein, we applied BHARAT -v2 in our appraising problem through pair-wise matrices for hurdles and sub-hurdles in tree soft as follows:

1. For generating nodes' weights in level 1:
 - 1.1 Constructing pairwise matrices for main hurdles based on a number of decision-makers (DMs) who contribute to ranking hurdles. MS utilized soft scales in [32] for ranking main hurdles with each other.
 - 1.2 Aggregate the constructed matrices into a single decision matrix. Then, computational operations are conducted to obtain the main hurdles' weights based on Eqs. (1) and (2).

$$\phi = \sum_{i=1}^i \frac{1}{x_j} \quad (1)$$

$$w_i = \frac{1/\phi}{\sum_{i=1}^m 1/\phi} \quad (2)$$
 where x_j indicates to rank of the criterion
2. For generating sub-node weights in level 2:
 - 2.1 Constructing pairwise matrices for each sub-hurdle by soft scale used by DMs.
 - 2.2 Aggregate the constructed matrices into a single decision matrix for each sub-hurdle. After that, local weights are generated based on Eqs (1) and (2), and global weights are obtained by multiplying the main hurdles' weights by local sub-hurdles' weights.
3. Ranking main hurdles and sub-hurdles based on weight values.
 - Rank 1: largest main and sub-hurdle weight.
 - least rank: smallest main and sub-hurdle weight.

3. Description of BHARAT-v2 Tree Soft Model: Bv2TrS

The methodologies in the previous two sub-sections are leveraged in appraising the problem of this study. The following steps illustrate procedures for implementing these novel methodologies in solving our problem of appraising.

3.1 Gathering Information and Prioritizes

- Determining the influenced hurdles and sub-hurdles.
- Forming a panel of experts or DMs who related to our appraising problem. These DMs are contributing to appraising and ranking main and sub-hurdles.
- Soft scale in [32] we utilized a 7-point scale for non-beneficial attributes, where hurdles and sub-hurdles were considered non-beneficial attributes.

3.2 Modeling Influenced Hurdles and Sub-Hurdles into Tree Soft Structure

- Forming the influenced main and sub hurdles into a multitude of levels.
- At level 1: Main hurdles resident in tree soft as nodes in this level.
- At level 2: Sub-hurdles resident in tree soft as nodes which inherent from nodes in level 1.

3.3 Implementing BHARAT v2 in Tree Soft to Obtain Main and Sub-Hurdles' Weights

BHARAT v2 works in nodes of TreeSoft to solve the problem of appraising.

3.3.1 N of Pairwise Matrices are Constructed Based on N of DMs

- Forming the influenced main and sub hurdles into a multitude of levels.
- At level 1: for each node or main hurdle, N of pairwise matrices is constructed.
- For each node, Eq. (3) is implemented for generating an aggregated matrix.
- Average or Aggregated of DMs' rating = $\frac{DM_1 + DM_2 + \dots + DM_n}{n}$ (3)

Where n is the number of DMs.

- In the aggregated matrix for each node, the average for each hurdle per column is calculated. Hence vector of values is generated.
- The generated vector is utilized to produce a new matrix. Calculating the average for each hurdle per row (g) and calculating the sum of the average column (h).
- Weights of main hurdles are computing as in Eq. (4).

$$w_i = \frac{g}{h} \tag{4}$$

- At level 2: for each Sub-node or sub-hurdle, N of pairwise matrices is constructed.
- The aggregated matrix for each sub-hurdle is computing. The average for each sub-hurdle per column is calculated. Hence vector of values is generated.
- Eq. (4) is utilized for obtaining local weight for each sub-hurdle (U_i).
- Finally, the global weight for each sub-hurdle R_i based on Eq. (5).

$$R_i = w_i * U_i \tag{5}$$

- Ranking sub-hurdles based on values of R_i .

4. An Empirical Case Study: Validating B_{v2}TrS

The purpose of this section is to verify the authenticity of our constructed B_{v2}TrS. Thus, we applied this B_{v2}TrS model in a case study. Accordingly, the previous procedures of B_{v2}TrS are implemented in this case study as the following.

4.1 We are communicating with a group of DMs to form a DMs panel. Thereby, three DMs are contributing to appraising e-mobility's hurdles

4.2 The appraising is conducted for three main hurdles and ten sub-hurdles as mentioned in Figure 2

4.3 Tree soft illustrates three main hurdles and ten sub-hurdles in a hierarchical structure.

4.4 BHARAT-v2 is leveraging in constructed tree soft to appraise the main hurdles of e-mobility and obtaining weights for hurdles

4.4.1 4BHARAT-v2 starts with level one to obtain weights for three nodes by appraising these nodes according to three DMs (see Appendix A, Table A1).

4.4.2 An aggregated matrix is generated by calculating the mean of three pair-wise matrices through applying Eq. (3) as listed in Table 1.

4.4.3 Vector for mean for main hurdles (H_n) through calculating the average for each main hurdle per column. Hence, {1.65666667, 1.342211, 0.59256667} are mean for H_1, H_2, H_3 .

4.4.4 This vector is utilized in Table 2 to obtain hurdles weights.

4.4.5 Through applying Eq. (4), the hurdles' weights.

Table 1. Aggregated matrix

Aggregated	H ₁	H ₂	H ₃
H ₁	0.5	0.666633	0.7222
H ₂	2.73	0.5	0.5555
H ₃	1.74	2.86	0.5




Figure 2. Tree soft model for main and sub-hurdles for e-mobility.

4.5 BHARAT-v2 is leveraging in level 2 of Tree Soft to appraise sub-hurdles of Technology and obtain weights for it

4.5.1 For each sub-hurdle, three DMs are generating pair-wise matrices (see Appendix A, in Tables A2).

4.5.2 The Aggregated matrix for each sub-hurdle is generated as listed in Table 3.

4.5.3 Vector for mean for sub-hurdles (H_{1-n}) through calculating the average for each sub-hurdle per column. Hence, {2.900333, 1.493688889, 0.555533} are mean for H_{1-1} , H_{1-2} , H_{1-3} .

4.5.4 Eq. (4) is utilized for obtaining local weights for sub-hurdles of Technology as in Table 4 and global weight is computed through using Eq. (5) and listed in Table 4.

4.6 BHARAT-v2 is leveraging in level 2 of Tree soft to appraise sub-hurdles of Infrastructure and obtain weights for it

4.6.1 For each sub-hurdle, three DMs are generating pair-wise matrices (see Appendix A, in Tables A3).

4.6.2 The Aggregated matrix for each sub-hurdle is generated as listed in Table 5.

4.6.3 Vector for mean for sub-hurdles (H_{2-n}) through calculating the average for each sub-hurdle per column. Hence, {2.203333, 0.972211111, 0.555533} are mean for H_{2-1} , H_{2-2} , H_{2-3} .

4.6.4 Eq. (4) is utilized for obtaining local weights for sub-hurdles of Technology as in Table 6 and global weight is computed through using Eq. (5) and listed in Table 6.

4.7 BHARAT-v2 is leveraging in level 2 of Tree Soft to appraise sub-hurdles of Economics and regulation and obtain weights for it

4.7.1 For each sub-hurdle, three DMs are generating pair-wise matrices (see Appendix A, in Tables A4).

4.7.2 The aggregated matrix for each sub-hurdle is generated as listed in Table 7.

4.7.3 Vector for mean for sub-hurdles (H_{3-n}) through calculating the average for each sub-hurdle per column. Hence, {0.78, 0.798877778, 0.648022} are mean for H_{3-1} , H_{3-2} , H_{2-3} .

4.7.4 Eq. (4) is utilized for obtaining local weights for sub-hurdles of Technology as in Table 6 and global weight is computed through using Eq. (5) and listed in Table 8.

4.8 Ranking sub-hurdles based on global weight values in Tables 4, 6, 8

Table 2. The main hurdles weigh in level 1.

	H ₁	H ₂	H ₃	Average	weights
H ₁	1.65666667/1.65666667	1.34/1.65666667	0.59256667/1.65666667	0.721	0.721/3.461=0.208321
H ₂	1.65666667/1.34	1.34/1.34	0.59256667/1.34	0.89	0.89/3.461=0.257151
H ₃	1.65666667/59256667	1.34/.59256667	59256667/59256667	1.85	1.85/3.461=0.534528
Total Sum				3.461	1

Table 3. Aggregated matrix for sub-hurdles of technology.

Aggregated	H ₁₋₁	H ₁₋₂	H ₁₋₃
H ₁₋₁	0.5	0.611066667	0.7222
H ₁₋₂	2.851	0.5	0.4444
H ₁₋₃	5.35	3.37	0.5

Table 4. Global weights of sub-hurdles of technology in level 2.

	H ₁₋₁	H ₁₋₂	H ₁₋₃	Average	Local weight	Global weight
H ₁₋₁	2.900333/2.900333	1.49368889/2.900333	0.555533/2.900333	0.57	0.57/4.63=0.12311	0.025646
H ₁₋₂	2.900333/1.49368889	1.49368889/1.49368889	0.555533/1.49368889	1.11	1.11/4.63=0.239741	0.049943
H ₁₋₃	2.900333/0.555533	1.49368889/0.555533	0.555533/0.555533	2.95	2.95/4.63=0.637149	0.132732
Total Sum				4.63	1	0.208321

Table 5. Aggregated matrix for sub-hurdles of infrastructure.

Aggregated	H ₂₋₁	H ₂₋₂	H ₂₋₃
H ₂₋₁	0.5	0.666633333	0.4444
H ₂₋₂	1.81	0.5	0.7222
H ₂₋₃	4.3	1.75	0.5

Table 6. Global weights of sub-hurdles of infrastructure in level 2.

	H ₂₋₁	H ₂₋₂	H ₂₋₃	Average	Local weight	Global weight
H ₂₋₁	2.203333/2.203333	0.9722111/2.203333	0.555533/2.203333	0.57	0.57/4.07=0.14004914	0.036014
H ₂₋₂	2.203333/.97	0.9722111/0.9722111	0.555533/0.9722111	1.28	1.28/4.07=0.314496314	0.080873
H ₂₋₃	2.203333/.56	0.9722111/0.555533	0.555533/0.555533	2.22	2.22/4.07=0.545454545	0.140264
Total Sum				4.07	1	0.257151

Table 7. Aggregated matrix for sub-hurdles of economics and regulation.

Aggregated	H ₃₋₁	H ₃₋₂	H ₃₋₃
H ₃₋₁	0.5	0.666633333	0.610867
H ₃₋₂	1.84	0.5	0.8332
H ₃₋₃	4.2.84	1.23	0.5

Table 8. Global weights of sub-hurdles of economics and regulations in level 2.

	H ₃₋₁	H ₃₋₂	H ₃₋₃	Average	Local weight	Global weight
H ₃₋₁	0.78/0.78	.799/.78	0.65/.78	0.953	0.953/3.033=0.314210353	0.167954104
H ₃₋₂	.78/.799	.799/.799	.65/.799	0.94	0.94/3.033=0.309924167	0.165663019
H ₃₋₃	.78/.65	.799/.65	.65//.65	1.14	1.14/3.033=0.37586548	0.20091047
Total Sum				3.033	1	0.534527593

5. Discussion

To validate the authenticity of the B_vTrS model, we applied it to a case study. Also, determining technological, infrastructure, and economics and regulations as the main hurdles for e-mobility. Accordingly, its sub-hurdles are determined.

In this study tree soft is utilized for modeling these influenced hurdles into a multitude of nodes in various levels as shown in Figure 2. After that BHARAT-v2 was implemented in tree soft modeling to obtain weights for each node contained in each level. Subsequently, the influenced hurdles of e-mobility are ranked according to global weights for each sub-hurdle. Figure 3 represents the ranking of each sub-hurdle for every main hurdle. For instance, H₁₋₃ is the most influential hurdle in technology, otherwise H₁₋₁ is the least. Also, H₂₋₃ is the most influenced hurdle in infrastructure, otherwise H₂₋₁ is the least. Finally, H₃₋₃ is the most influenced hurdle in infrastructure, otherwise H₃₋₂ is the least influenced.




Figure 3. Ranking of sub-hurdles of e-mobility based on global weights.

6. Conclusions

E-mobility as EVs and e-scooters is an effective inducement to adopt the notion of a green environment. Consequently, the market for EVs is quickly expanding thanks to a variety of decarbonization-supporting technologies, methods, and inventions. This is due to a multitude of factors. For instance, Per the International Energy Agency's (IEA) transportation CO₂ emission report for 2022, automobiles and vans accounted for 48% of the total CO₂ emissions. All over the globe economies are moving toward the adoption of alternate fuel technologies because of the rising worldwide concern about climate change brought on by greenhouse gas emissions from vehicles and the depletion of natural resources. Hence, Electric vehicles (EVs) are positioned as a clean, green alternative technology that may make it possible to preserve natural resources and move to a low-carbon transportation system with efficiency. Although the importance of embracing EVs in our daily lives, it suffers from a set of hurdles.

Herein, the objective of this study is to analyze these hurdles and prioritize them. Therefore, to achieve this objective, we are modeling the determined hurdles through tree soft methodology. For appraising these hurdles which are modeled in tree soft, BHARAT -v2 is applied as a novel MCDM technique to appraise the influence of hurdles on e-mobility. Hence, we constructed B_{v2}TrS as an appraiser model for ranking these hurdles.

The findings of this model and according to Figure 3 indicated that H₁₋₃ is the highest-influenced hurdle in technology with a global weight is 0.13, otherwise, H₁₋₁ is the least with a global weight is 0.025. In the same vein, H₂₋₃ is the most influenced hurdle in infrastructure with a global weight is 0.14 and H₂₋₁ is the least with a global weight is 0.036. Finally, H₃₋₃ is the most influenced hurdle in infrastructure where its global weight is 0.20, Unlike H₃₋₂ is the least influenced.

Acknowledgments

The author is grateful to the editorial and reviewers, as well as the correspondent author, who offered assistance in the form of advice, assessment, and checking during the study period.

Author Contributions

All authors contributed equally to this research.

Data availability

The datasets generated during and/or analyzed during the current study are not publicly available due to the privacy-preserving nature of the data but are available from the corresponding author upon reasonable request.

Funding

This research was not supported by any funding agency or institute.

Conflict of interest

The authors declare that there is no conflict of interest in the research.

References

1. Murugan, M., & Marisamynathan, S. (2022). Analysis of barriers to adopt electric vehicles in India using fuzzy DEMATEL and Relative importance Index approaches. *Case studies on transport policy*, 10(2), 795–810.
2. Murugan, M., Marisamynathan, S., & Nair, P. (2022). Investigating the Barriers for Electric Vehicle Adoption Using Analytical Hierarchy Process Approach. In *Recent advances in transportation systems engineering and management: select proceedings of ctsem 2021* (pp. 837–850). Springer.
3. Golui, S., Mahapatra, B. S., & Mahapatra, G. S. (2024). A new correlation-based measure on Fermatean fuzzy applied on multi-criteria decision making for electric vehicle selection. *Expert systems with applications*, 237, 121605.

4. James, A. T., Kumar, G., Pundhir, A., Tiwari, S., Sharma, R., & James, J. (2022). Identification and evaluation of barriers in implementation of electric mobility in India. *Research in transportation business & management*, 43, 100757.
5. Hamurcu, M., & Eren, T. (2023). Multicriteria decision making and goal programming for determination of electric automobile aimed at sustainable green environment: a case study. *Environment systems and decisions*, 43(2), 211–231. DOI:10.1007/s10669-022-09878-8
6. Biresselioglu, M. E., Kaplan, M. D., & Yilmaz, B. K. (2018). Electric mobility in Europe: A comprehensive review of motivators and barriers in decision making processes. *Transportation research part a: policy and practice*, 109, 1–13.
7. Manirathinam, T., Narayanamoorthy, S., Geetha, S., Ahmadian, A., Ferrara, M., & Kang, D. (2024). Assessing performance and satisfaction of micro-mobility in smart cities for sustainable clean energy transportation using novel APPRESAL method. *Journal of cleaner production*, 436, 140372.
8. Kumar, R., Lamba, K., & Raman, A. (2021). Role of zero emission vehicles in sustainable transformation of the Indian automobile industry. *Research in transportation economics*, 90, 101064.
9. Wei, F., Walls, W. D., Zheng, X., & Li, G. (2023). Evaluating environmental benefits from driving electric vehicles: The case of Shanghai, China. *Transportation research part d: transport and environment*, 119, 103749.
10. Ashok, B., Kannan, C., Usman, K. M., Vignesh, R., Deepak, C., Ramesh, R., ... Kavitha, C. (2022). Transition to Electric Mobility in India: Barriers Exploration and Pathways to Powertrain Shift through MCDM Approach. *Journal of the institution of engineers (india): series c*, 103(5), 1251–1277. DOI:10.1007/s40032-022-00852-6
11. Goel, P., Sharma, N., Mathiyazhagan, K., & Vimal, K. E. K. (2021). Government is trying but consumers are not buying: A barrier analysis for electric vehicle sales in India. *Sustainable production and consumption*, 28, 71–90.
12. Chu, W., Im, M., Song, M. R., & Park, J. (2019). Psychological and behavioral factors affecting electric vehicle adoption and satisfaction: A comparative study of early adopters in China and Korea. *Transportation research part d: transport and environment*, 76, 1–18.
13. Tarei, P. K., Chand, P., & Gupta, H. (2021). Barriers to the adoption of electric vehicles: Evidence from India. *Journal of cleaner production*, 291, 125847.
14. Berkeley, N., Jarvis, D., & Jones, A. (2018). Analysing the take up of battery electric vehicles: An investigation of barriers amongst drivers in the UK. *Transportation research part d: transport and environment*, 63, 466–481.
15. Smarandache, F. (2023). New Types of Soft Sets: HyperSoft Set, IndetermSoft Set, IndetermHyperSoft Set, and TreeSoft Set.
16. Gharib, M., Smarandache, F., & Mohamed, M. (2024). CSsEv: Modelling QoS Metrics in Tree Soft Toward Cloud Services Evaluator based on Uncertainty Environment. *Infinite Study*.
17. Gharib, M., Rajab, F., & Mohamed, M. (2023). Harnessing Tree Soft Set and Soft Computing Techniques' Capabilities in Bioinformatics: Analysis, Improvements, and Applications. *Neutrosophic sets and systems*, 61(1), 30.
18. Mohamed, R., & Ismail, M. M. (2024). Harness Ambition of Soft Computing in Multi-Factors of Decision-Making Toward Sustainable Supply Chain in the Realm of Unpredictability. *Multicriteria algorithms with applications*, 2, 29–42, DOI: <https://doi.org/10.61356/j.mawa.2024.26561>.
19. Abdelhafeez, A., Mahmoud, H., & Aziz, A. S. (2023). Identify the most Productive Crop to Encourage Sustainable Farming Methods in Smart Farming using Neutrosophic Environment. *Neutrosophic systems with applications*, 6, 17–24, DOI: <https://doi.org/10.61356/j.nswa.2023.34>.
20. El-Douh, A., Lu, S., Abdelhafeez, A., & Aziz, A. (2023). A Neutrosophic Multi-Criteria Model for Evaluating Sustainable Soil Enhancement Methods and their Cost 2 Implications in Construction. *SMIJ*, 5(2), 11, DOI:<https://doi.org/10.61185/SMIJ>.
21. Sallam, K. M., & Mohamed, A. W. (2023). Single Valued Neutrosophic Sets for Assessment Quality of Suppliers under Uncertainty Environment. *Multicriteria algorithms with applications*, 1(1), 1–10, DOI: <https://doi.org/10.61356/j.mawa.2023.15861>.

22. Abdel-aziem, A. H., Mohamed, H. K., & Abdelhafeez, A. (2023). Neutrosophic Decision Making Model for Investment Portfolios Selection and Optimizing based on Wide Variety of Investment Opportunities and Many Criteria in Market. *Neutrosophic systems with applications*, 6, 32–38, DOI: <https://doi.org/10.61356/j.nswa.2023.36>.
23. Rao, R. (2024). BHARAT: A simple and effective multi-criteria decision-making method that does not need fuzzy logic, Part-1: Multi-attribute decision-making applications in the industrial environment. *International journal of industrial engineering computations*, 15(1), 13–40.
24. Mohamed, M. (2024). BHARAT Decision Making Model: Harness an Innovative MCDM Methodology for Recommending Beneficial E-Commerce Website. *Multicriteria algorithms with applications*, 2, 53–64, DOI: <https://doi.org/10.61356/j.mawa.2024.26761>.
25. Schmalfuß, F., Mühl, K., & Krems, J. F. (2017). Direct experience with battery electric vehicles (BEVs) matters when evaluating vehicle attributes, attitude and purchase intention. *Transportation research part f: traffic psychology and behaviour*, 46, 47–69.
26. Bakioglu, G., & Atahan, A. O. (2021). AHP integrated TOPSIS and VIKOR methods with Pythagorean fuzzy sets to prioritize risks in self-driving vehicles. *Applied soft computing*, 99, 106948.
27. Gao, X., Simeone, A., & Zhang, J. (2023). Smart decision-making for design adaptation of electric vehicles using big sales data. *Procedia cirp*, 119, 710–715.
28. Mateusz, P., Danuta, M., Małgorzata, Ł., Mariusz, B., & Kesra, N. (2018). TOPSIS and VIKOR methods in study of sustainable development in the EU countries. *Procedia computer science*, 126, 1683–1692.
29. Lam, W. S., Lam, W. H., Jaaman, S. H., & Liew, K. F. (2021). Performance evaluation of construction companies using integrated entropy–fuzzy VIKOR model. *Entropy*, 23(3), 320.
30. Ecer, F., Küçükönder, H., Kaya, S. K., & Görçün, Ö. F. (2023). Sustainability performance analysis of micro-mobility solutions in urban transportation with a novel IVFNN-Delphi-LOPCOW-CoCoSo framework. *Transportation research part a: policy and practice*, 172, 103667.
31. Tripathy, A., Bhuyan, A., Padhy, R. K., Mangla, S. K., & Roopak, R. (2023). Drivers of lithium-ion batteries recycling industry toward circular economy in industry 4.0. *Computers & industrial engineering*, 179, 109157.
32. Rao, R. V. (2024). BHARAT: A simple and effective multi-criteria decision-making method that does not need fuzzy logic, Part-1: Multi-attribute decision-making applications in the industrial environment. *International journal of industrial engineering computations*, 15(1), 13–40. DOI:10.5267/j.ijiec.2023.12.003

Appendix A

Table A1. Pair-wise prioritize matrices for main hurdles in level 1.

DM ₁	H ₁	H ₂	H ₃	DM ₂	H ₁	H ₂	H ₃	DM ₃	H ₁	H ₂	H ₃
H ₁	0.5	0.8333	0.3333	H ₁	0.5	0.1666	1	H ₁	0.5	1	0.8333
H ₂	1/0.8333	0.5	0.6666	H ₂	1/0.1666	0.5	0.8333	H ₂	1	0.5	0.1666
H ₃	1/0.3333	1/0.6666	0.5	H ₃	1.0000	1/0.8333	0.5	H ₃	1/0.8333	1/0.1666	0.5

Table A2. Pair-wise prioritize matrices for sub-hurdles of technological in level 2.

DM ₁	H ₁₋₁	H ₁₋₂	H ₁₋₃	DM ₂	H ₁₋₁	H ₁₋₂	H ₁₋₃	DM ₃	H ₁₋₁	H ₁₋₂	H ₁₋₃
H ₁₋₁	0.5	0.1666	0.8333	H ₁₋₁	0.5	1	0.3333	H ₁₋₁	0.5	0.6666	1
H ₁₋₂	1/0.1666	0.5	0.3333	H ₁₋₂	1	0.5	0.1666	H ₁₋₂	1/0.6666	0.5	0.8333
H ₁₋₃	1/0.8333	1/0.3333	0.5	H ₁₋₃	1/0.3333	1/0.1666	0.5	H ₁₋₃	1	1/0.8333	0.5

Table A3. Pair-wise prioritize matrices for sub-hurdles of infrastructural in level 2.

DM ₁	H ₂₋₁	H ₂₋₂	H ₂₋₃	DM ₂	H ₂₋₁	H ₂₋₂	H ₂₋₃	DM ₃	H ₂₋₁	H ₂₋₂	H ₂₋₃
H ₂₋₁	0.5	0.3333	0.1666	H ₂₋₁	0.5	0.8333	0.1666	H ₂₋₁	0.5	0.8333	1
H ₂₋₂	1/0.3333	0.5	0.8333	H ₂₋₂	1/0.8333	0.5	1	H ₂₋₂	1/0.8333	0.5	0.3333
H ₂₋₃	1/0.1666	1/0.8333	0.5	H ₂₋₃	1/0.1666	1	0.5	H ₂₋₃	1	1/0.3333	0.5

Table A4. Pair-wise prioritize matrices for sub-hurdles of economics and regulation in level 2.

DM ₁	H ₃₋₁	H ₃₋₂	H ₃₋₃	DM ₂	H ₃₋₁	H ₃₋₂	H ₃₋₃	DM ₃	H ₃₋₁	H ₃₋₂	H ₃₋₃
H ₃₋₁	0.5	0.3333	0.1666	H ₃₋₁	0.5	0.8333	0.1666	H ₃₋₁	0.5	0.8333	1
H ₃₋₂	1/0.3333	0.5	0.8333	H ₃₋₂	1/0.8333	0.5	1	H ₃₋₂	1/0.8333	0.5	0.3333
H ₃₋₃	1/0.1666	1/0.8333	0.5	H ₃₋₃	1/0.1666	1	0.5	H ₃₋₃	1	1/0.3333	0.5

Received: 06 Nov 2023, **Revised:** 05 Mar 2024,

Accepted: 01 Apr 2024, **Available online:** 06 Apr 2024.



© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

Disclaimer/Publisher's Note: The perspectives, opinions, and data shared in all publications are the sole responsibility of the individual authors and contributors, and do not necessarily reflect the views of Sciences Force or the editorial team. Sciences Force and the editorial team disclaim any liability for potential harm to individuals or property resulting from the ideas, methods, instructions, or products referenced in the content.