





# An Innovative Approach on Yao's Three-Way Decision Model Using Intuitionistic Fuzzy Sets for Medical Diagnosis

Wajid Ali <sup>1,\*</sup> , Tanzeela Shaheen <sup>1</sup> , Iftikhar Ul Haq <sup>1</sup> , Florentin Smarandache <sup>2</sup> ,

Hamza Ghazanfar Toor <sup>3</sup> , and Faiza Asif <sup>4</sup> 

<sup>1</sup> Department of Mathematics, Air University, E-9, Islamabad 44000, Pakistan. Emails: wajidali00258@gmail.com, tanzeela.shaheen@mail.au.edu.pk, chibmathteacher@gmail.com.

<sup>2</sup> University of New Mexico, 705 Gurley Ave., Gallup, NM 87301, USA; smarand@unm.edu.

<sup>3</sup> Biomedical Engineering Department, Riphah International University, Islamabad 44000, Pakistan; hamza.ghazanfar@riphah.edu.pk.

<sup>4</sup> Management and Finance Department, Leeds Beckett University Leeds United Kingdom; f.asif2456@student.leedsbeckett.ac.uk.

\* Correspondence: wajidali00258@gmail.com.

**Abstract:** In the realm of medical diagnosis, intuitionistic fuzzy data serves as a valuable tool for representing information that is uncertain and imprecise. Nevertheless, decision-making based on this kind of knowledge can be quite challenging due to the inherent vagueness of the data. To address this issue, we employ power aggregation operators, which prove effective in combining several sources of data, such as expert thoughts and patient information. This allows for a more correct diagnosis; a particularly crucial aspect of medical practice where precise and timely diagnoses can significantly impact medication policy and patient results. In our research, we introduce a novel methodology to the three-way decision idea. Initially, we revamp the three-way decision model using rough set theory and incorporate interval-valued classes to handle intuitionistic fuzzy data. Secondly, we explore the use of intuitionistic fuzzy power weighted and intuitionistic fuzzy power weighted geometric aggregation operators to consolidate attribute values within the data system. Furthermore, we present a case study in the medical field to exhibit the validity and efficiency of our offered technique. This innovative method enables us to classify participants into three distinct zones based on their symptoms. The manuscript concludes with a summary of key points provided by the authors.

**Keywords:** Intuitionistic Fuzzy Sets; Aggregation Operators; Information System; Three-Way Decision; Medical Diagnosis; Decision Making; Optimization.

## 1. Introduction

Medical conditions can manifest with a variety of symptoms, which can complicate the process of accurate diagnosis. Some typical symptoms include elevated body temperature, fatigue, coughing, nausea, diarrhea, and skin eruptions. The identification of medical illnesses typically necessitates the involvement of healthcare professionals, who rely on a combination of patient history, physical assessments, laboratory tests, medical imaging, and other diagnostic measures to establish an analysis. This decision-making [1] process in medical diagnosis is influenced by numerous features, involving the patient's age, medical history, and genetic susceptibility. Physicians may also utilize diagnostic algorithms or decision trees to aid in the assessment of intricate medical conditions. In recent times, advancements in medical technology have considerably enhanced the precision and speed of medical diagnoses. This includes the integration of new imaging methods, genetic testing, and decision-making tools based on artificial intelligence [2-5].

The rough set model is a mathematical framework designed to systematically address situations involving incomplete and uncertain information. Zdzislaw Pawlak [6] first introduced this theory in

the early 1980s to handle vague and doubtful information. In the context of medical diagnosis, a rough set model proves valuable in determining the presence or absence of specific diseases or conditions, even when dealing with incomplete or uncertain data sources [7], such as symptoms, medical history, test results, and other related information [8]. The core principle following the rough set model revolves around the segmentation of information into subsets, primarily driven by their attributes, such as symptoms or test outcomes. This partitioning procedure aids in the discernment of the critical features or factors most closely linked to a specific ailment or medical condition. Once the data is organized into these distinct subsets, rough set theory can be leveraged to unveil rules or shapes that facilitate making predictions about whether a given patient is afflicted by an actual disease or condition. A multitude of scientists have contributed to the advancement of innovative algorithms for disease diagnosis using this methodology. For instance, El-Bably and colleagues [8-10] started the concept of soft, rough approximation and implemented it in the realm of medical difficulty diagnosis. Hosny et al. [11] expanded the application of rough sets by introducing the maximal right neighborhood system and exploring its uses in the field of medicine. Additionally, Al-Shami et al. [12] defined maximal rough neighborhoods and employed this approach for the diagnosis of medical conditions.

Atanassov [13] established the theory of an intuitionistic fuzzy set (IFS), which represents an expansion of the conventional fuzzy set (FS). Within the realm of IFS, one can express both the degree of membership and non-membership of an element within a universal set. IFSs hold significant importance in the field of medicine, particularly in the context of disease identification and problem-solving. Researchers have extensively investigated the utilization of IFS in medical diagnosis, especially in scenarios characterized by substantial hesitation and flexibility in symptoms and test outcomes. The intuitionistic fuzzy set offers a valuable tool for capturing and conveying this uncertainty, thus enhancing the precision of diagnostic knowledge. For instance, in the context of diagnosing complex conditions such as cancer, Intuitionistic Fuzzy Sets (IFS) can portray the degree of confidence or vagueness related to the diagnosis, considering a wide range of diagnostic criteria like blood test results, imaging studies, and biopsy conclusions. This approach ultimately leads to more precise and dependable diagnoses while also facilitating the creation of personalized treatment plans. Jiang et al. [14] employed IFS in medical image fusion, utilizing entropy measures, whereas Mehmood et al. [15, 16] extended the concept of intuitionistic fuzzy sets and applied these principles to the field of medical diagnosis. De et al. [17] also delved into the application of IFS in medical diagnosis, much like the work of Davvaz et al. [18]. Szmidi et al. [19] investigated the utilization of IFS in intelligent data analysis for medical diagnosis. In the decision-making process involving IFS, aggregation operators play a crucial role in computing attribute values. As a result, several experts have proposed a variety of aggregation operators for this purpose. For instance, Xu et al. [20] developed and implemented power aggregation operators for IFS in Multi-Attribute Decision Making (MADM). In 2006, Xu et al. [21] introduced geometric aggregation operators tailored for IFS. Mehmood et al. [22] presented similarity measures and power aggregation operators based on Intuitionistic Hesitant Fuzzy Sets (IHFS). More recently, Senapati et al. [23] and Garg et al. [24] have explored novel operators in this context.

The three-way decision (TWD) concept represents a notable extension of the RS theory, initially introduced by Yao [25, 26]. In the realm of medical diagnosis, a three-way decision entails the assessment of three potential outcomes: positive, negative, or inconclusive. In the case of a Positive Outcome, when a medical diagnosis yields a positive result, it confirms that the patient indeed has the specific condition or disease under examination. This necessitates treatment for the diagnosed ailment, with healthcare professionals closely monitoring the patient's progress. Conversely, a Negative Outcome in a medical diagnosis indicates that the patient does not have the particular condition or disease under investigation. In such instances, the patient may not need any medication, and healthcare providers may need to explore other potential causes for the patient's symptoms. An

Inconclusive Outcome arises when the test results do not provide sufficient clarity to decide whether the patient possesses the condition or disease under scrutiny. In such situations, additional tests or evaluations may be necessary to succeed at a more definitive diagnosis. Lately, Li et al. [27, 28] applied TWD procedures to improve decision-making in medical diagnosis. Hu et al. [29, 30] introduced the notion of a lattice model for medical diagnosis, incorporating TWD. Jia and Fan [31] devised TWD models for multi-criteria situations, while Ye et al. [32] integrated the TWD concept into the emerging field of fuzzy information systems. In a similar vein, numerous scholars have explored this field, proposing innovative approaches across various extensions of fuzzy sets [33-35].

In our exploration of the literature, we discovered that TWD models prove highly beneficial for medical problem diagnosis. The fusion of IFS and TWD, as described in reference [36], yields a robust framework for addressing situations characterized by vagueness and ambiguity. It should be highlighted that aggregating the outcomes of numerous participants through TWD poses a significant challenge. Researchers have traditionally employed conventional methods to compute alternatives for TWD, as evidenced by references [37-40]. In the existing TWD model, as outlined in references [25, 37], an external concept becomes necessary for determining equivalence classes. Additionally, a threshold is employed to categorize the alternatives into three distinct regions.

The primary objective behind creating this piece of work is to create an innovative algorithm for the TWD by utilizing aggregation operators and enhancing the TWD decision process through interval-valued equivalence classes for Interval-Valued Fuzzy Sets (IVFS). This approach aims to address the existing deficiencies and challenges in TWD computation. The following is a depiction of the key contribution made by this analysis.

- i. Establish the notion of intervals to represent the degrees of membership in Interval Fuzzy Sets (IFS) by utilizing the step size function.
- ii. Create equivalence classes by leveraging intervals and refer to them as interval-valued classes.
- iii. To address concerns related to computational efficiency and timesaving, we introduce the IFPWA and IFPWG aggregation operators specifically tailored for the TWD theory.
- iv. Present an algorithm designed for the classification of diverse patients and the diagnosis of diseases using multiple symptom criteria.

The rest of the article follows this structure: Section 2 presents an overview of essential concepts, including IFS, power aggregation operators, and Three-way Decisions in Section 3, we define membership grade intervals using the step size function and create equivalence classes. We then proceed to adapt the TWD for IFS based on these intervals. Section 4 encompasses the development of a well-defined algorithm, including a flow chart, and an in-depth, step-by-step explanation of the approach. Section 5 delves into a case study where we apply the offered methodology to diagnose a medical issue and classify alternatives using power aggregation operators for IFS. We also extensively discuss the benefits and benefits of the suggested models. Finally, Section 6 encapsulates the authors' conclusion and their plan.

## 2. Preliminaries

In this section, we take a closer look at several fundamental concepts within intuitionistic fuzzy sets (IFS) and explore some notions about power aggregation operators.

### 2.1 Intuitionistic Fuzzy Sets and Aggregation Operators

Atanassov [13] proposed the theory of IFS as an expansion of FS. While FS offers the membership grade (MG) of an element within a specific set  $[0, 1]$ , IFS simultaneously provides both MG and non-membership grade (NMG).

**Definition 1:** [13] An IFS  $T$  on set  $E$  is represented using the two mappings  $l(e)$  and  $m(e)$ . Mathematically, this representation is expressed through the following structure:

$$T = \langle e, l_T(e), m_T(e) \mid e \in E \rangle,$$

Where,  $l_T(e): E \rightarrow [0, 1]$  and  $m_T(e): E \rightarrow [0, 1]$  signifies the MG and NMG including the condition  $0 \leq l(e) + m(e) \leq 1$ , for each  $e \in E$ .

**Definition 2:** let  $T = (l_T, m_T)$  be an IFN, then the score function and accuracy function are stated and represented as:

$$S(T) = l_T - m_T, \quad S(T) \in [-1, 1];$$

$$H(T) = l_T + m_T, \quad H(T) \in [0, 1].$$

**Definition 3:** Suppose  $T_1 = (l_1, m_1)$ ,  $T_2 = (l_2, m_2)$  be intuitionistic fuzzy sets (IFSs), then some basic operations are described as below:

- i.  $T_1 \oplus T_2 = (\{l_1 + l_2 - l_1 l_2\}, \{m_1 m_2\})$ ;
- ii.  $T_1 \otimes T_2 = (\{l_1 l_2\}, \{m_1 + m_2 - m_1 m_2\})$ ;
- iii.  $\lambda T_1 = (1 - (1 - l)^\lambda, m^\lambda), \lambda > 0$ ;
- iv.  $T_1^\lambda = ((l)^\lambda, 1 - (1 - m)^\lambda), \lambda > 0$ ;
- v.  $T_1^c = (m_1, l_1)$ .

**Definition 4:** [21] Suppose that  $T_j = (l_j, m_j)$  is a collection of IFS and the  $k_j = (k_1, k_2, \dots, k_m)^T$  is weight vector for  $T_j$ , and  $\sum_{j=1}^m k_j = 1$ . Then  $IFPWP_k$  an operator is a mapping  $IFPWP_k: T^m \rightarrow T$  where

$$IFPWP_k(T_1, T_2, \dots, T_m) = \frac{\bigoplus_{j=1}^m (k_j(1 + J(T_j)T_j))}{\sum_{j=1}^m k_j(1 + J(T_j))} =$$

$$\left( 1 - \prod_{j=1}^m (1 - (l_j)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}}, \prod_{j=1}^m (m_j)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}} \right),$$

Where,

$$J(T_j) = \sum_{i=1, i \neq j}^m k_j \text{Sup}(T_j, T_i),$$

$$\text{Sup}(T_j, T_i) = 1 - d(T_j, T_i),$$

$$d(T_j, T_i) = \frac{1}{2} \sum_{i=1, i \neq j}^m (|l_i - l_j| + |m_i - m_j|).$$

**Definition 5:** For IFSs  $T_i = (l_i, m_i)$  with  $k_j$  such that  $k_j > 0$  and  $\sum_{j=1}^m k_j = 1$ . A mapping  $IFPOW_k: T^m \rightarrow T$ , is stated as:

$$IFPOW_k(T_1, T_2, \dots, T_m) = \frac{\bigoplus_{j=1}^m (k_j(1 + J(T_{\sigma(j)})T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1 + J(T_{\sigma(j)}))}$$

$$= \left( 1 - \prod_{j=1}^m (1 - (l_{\sigma(j)})^{\frac{k_j(1+J(T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1+J(T_{\sigma(j)}))}}, \prod_{j=1}^m (m_{\sigma(j)})^{\frac{k_j(1+J(T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1+J(T_{\sigma(j)}))}} \right).$$

**Definition 6:** For a set of IFS  $T_j = (l_j, m_j)$  and the weights  $k_j$  for  $T_j$ , and  $\sum_{j=1}^m k_j = 1$ . Then  $IFPWG_k$  an operator is a mapping  $IFPWG_k: T^m \rightarrow T$ .

$$IFPWG_k(T_1, T_2, \dots, T_m) = \frac{\bigotimes_{j=1}^m (k_j(1 + J(T_j)T_j))}{\sum_{j=1}^m k_j(1 + J(T_j))} =$$

$$\left( \prod_{j=1}^m (l_j)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}}, 1 - \prod_{j=1}^m (1 - (m_j)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}} \right).$$

Where,  $J(T_j) = \sum_{i=1, i \neq j}^m k_j \text{Sup}(T_j, T_i)$ .

**Definition 7:** For IFSs  $T_i = (l_i, m_i)$  with their weights  $k_j$  such that  $k_j > 0$  and  $\sum_{j=1}^m k_j = 1$ . A mapping  $IFPOWG_k: T^m \rightarrow T$ , is expressed as:

$$IFPOWG_k(T_1, T_2, \dots, T_m) = \frac{\bigotimes_{j=1}^m (k_j(1 + J(T_{\sigma(j)})T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1 + J(T_{\sigma(j)}))}$$

$$= \left( \prod_{j=1}^m (l_{\sigma(j)})^{\frac{k_j(1+J(T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1+J(T_{\sigma(j)}))}}, 1 - \prod_{j=1}^m (1 - (m_{\sigma(j)})^{\frac{k_j(1+J(T_{\sigma(j)}))}{\sum_{j=1}^m k_j(1+J(T_{\sigma(j)}))}} \right).$$

### 2.2 Three-Way Decision Model Based on Rough Sets

Rough sets [6] constitute a mathematical theory that was formulated by Zdzislaw Pawlak, a Polish computer scientist, during the early 1980s. This notion deals with a structured methodology for addressing uncertainty and handling incomplete information within the realm of data analysis. The theory of three-way decision (TWD) [25] is an expansion of a rough set model, designed to accommodate the notion of "don't know" or "undetermined" elements in decision-making processes. In the traditional two-way decision-making framework, data is typically categorized into two sets: one that fulfills specific conditions and another that does not. The primary constraints associated with this approach are detailed below.

**Definition 8:** [38] Let  $\mathcal{S} = (E, At, V_a, f)$  be an information system (IS), where  $E = \{P_1, P_2, \dots, P_m\}$  is the universe of discourse.  $At = \{c_1, c_2, \dots, c_l\}$  is the set of the attributes,  $V_a = \cup_{c \in Pt} V_c$  is the range of values,  $V_c$  represents the value under attribute  $c$ , and  $f = E \times At \rightarrow V_a$  is an information mapping function.

Furthermore, within these IS, two different categories of attributes exist condition attributes ( $C$ ) and decision attributes ( $D$ ), which collectively form the set of attributes denoted as  $At = C \cup D$ . These information systems are occasionally referred to as decision IS. To collect the parts in  $E$  based on the features in  $Pt$ , equivalence classes are constructed in rough sets (RSs). In this context, equivalence classes of the relations  $BND(C)$  and  $BND(D)$  will be called condition and decision classes, respectively.

**Definition 9:** Let  $\mathcal{S} = (E, At, V_a, f)$  be an IS, and  $B$  is,  $B \subseteq At$ , an equivalence relation  $R$  is defined as:

$$R_B = \left\{ (P_{c_i}, P_{c_j}) \in E \times E \mid \text{for all } c \in B \left( P_{c_i} = P_{c_j} \right) \right\}.$$

With this relationship, the equivalence class of an element  $P_B$  in set  $E$  is established as follows,

$$[P_{c_i}]_B = \left\{ P_{c_j} \in E \mid (P_{c_i}, P_{c_j}) \in R_B \right\}$$

The main objective of an equivalence relation is to show the inability to distinguish objects. Using the equivalence relation denoted as  $R_B$ , the IS can be separated into three different segments by approximation classes.

**Definition 10:** Pawlak [6] started the concept of approximation classes for the approximation space  $Appr(E, R)$  of  $E$ , defined for all  $U \subseteq E$  as follows:

$$\begin{aligned} \underline{Appr}(U) &= \{P \in E \mid [P]_B \subseteq U\}, \\ \overline{Appr}(U) &= \{P \in E \mid [P]_B \cap U \neq \emptyset\}, \end{aligned}$$

These categories are referred to as the lower approximation class denoted as  $\underline{Appr}(U)$  and the upper approximation class indicated as  $\overline{Appr}(U)$  with  $[P]_B$  representing the equivalence class of  $P$ .

**Definition 11:** Using the classification of approximations, three distinct regions are defined in the following manner.

$$\begin{aligned} POS(U) &= \underline{Appr}(U), \\ NEG(U) &= E - \overline{Appr}(U), \\ BND(U) &= \overline{Appr}(U) - \underline{Appr}(U). \end{aligned}$$

**Definition 12:** Let  $\mathcal{S} = (E, At, V_a, f)$  be an IS and a subset of attributes  $B \subseteq At$ , then the decision rules of  $U \subseteq E$  and  $z \in U$  are designed as:

- (A) If  $q \models Des([P]_B)$  for  $[P]_B \in POS(U)$ , then accept  $q$ ,
- (R) If  $q \not\models Des([P]_B)$  for  $[P]_B \in NEG(U)$ , then reject  $q$ ,
- (N) If  $q \models Des([P]_B)$  for  $[P]_B \in BND(U)$ , then neither accept nor reject  $q$ .

### 3. A Novel Three-Way Decision Model Based on Interval-Valued Classes

In this portion, we introduce an innovative approach to model TWD by creating intervals. These intervals lead to the creation of unique sets of interval-valued equivalence classes, which, in turn, are

used to categorize participants into three different regions: POS (positive), NEG (negative), and BND (boundary), facilitating their classification.

To transform the information system into a discrete form, we replace traditional equivalence classes with interval-valued equivalence classes, guided by the step size function. This function assists in dividing the alternatives into intervals, and its definition is as follows.

**Definition 13:** For the collection of IFNs ( $T_i$ ), the intervals ( $J_m$ ) for approximation classes established on MGs are defined and denoted as:

$$J_m = [Mim(l_i), Mim(l_i) + h]$$

When the step size function ( $h$ ) is established for the MGs of IFNs, it is defined by:

$$h = \frac{Max(l_i) - Mim(l_i)}{m}$$

Where  $m$  is the number of intervals  $J_m$  which we required.

According to the parental concept of TWD by Yao [25], by using the equivalence classes, we can provide the approximation classes. Continually, by the definition of intervals  $J_n$  in definition 13,  $n$ th interval-valued equivalence classes  $[P]_B$  for the participants are developed as below:

**Definition 14:** The design of interval-valued equivalence classes  $[P]_B$  for the alternatives  $P_i$  is structured such that:

$$[P]_B = \{P: P_i \in J_m\}$$

**Definition 15:** The approximation classes within the approximation space  $Appr (E, R)$  for all  $U \subseteq E$ , as defined by:

$$\begin{aligned} \underline{Appr}(U) &= \{P \in E | [P]_B \subseteq U\}, \\ \overline{Appr}(U) &= \{P \in E | [P]_B \cap U \neq \emptyset\}. \end{aligned}$$

**Definition 16:** Using the approximation classes outlined in definition 15, we can introduce three distinct regions as below.

$$\begin{aligned} POS(U) &= \underline{Appr}(U), \\ NEG(U) &= E - \overline{Appr}(U), \\ BND(U) &= \overline{Appr}(U) - \underline{Appr}(U). \end{aligned}$$

**Definition 17:** The three kinds of decision rules ( $\mathcal{A}2 - \mathcal{N}2$ ) of  $U \subseteq E$  for an IS  $\mathcal{S} = (E, At, V_a, f)$  are described as:

- (A2) If  $q \models Des([P]_B)$  for  $[P]_B \in POS(U)$ , then accept  $q$ ,
- (R2) If  $q \models Des([P]_B)$  for  $[P]_B \in NEG(U)$ , then reject  $q$ ,
- (N2) If  $q \models Des([P]_B)$  for  $[P]_B \in BND(U)$ , then neither accept nor reject  $q$ .

#### 4. An Algorithm for the Proposed Model

This portion delves into the detailed application of  $IFPWP_k$  and  $IFPWG_k$  aggregation operators under IF information for three-way decision-making. We plan five stages for choosing the TWD rules for distinct partakers. Let  $E = \{P_1, P_2 \dots P_n\}$  represent the set of participants and consider  $U = \{Yes, No\}$  denote the set of states indicating the decisions of participants, where  $U \subseteq E$ . The flowchart of the TWD model is displayed in Figure 1.

**Step 1.** Assess the data system with conditional and decision attributes using an intuitionistic fuzzy approach.

**Step 2.** For participants  $P_i (i = 1, 2, \dots, m)$  aggregate all the IF attributes  $P_{ij} (j = 1, 2, \dots, l)$  into a general result  $P_i$  utilizing  $IFPWA_k$  and  $IFPWG_k$  operators as below:

$$\begin{aligned} IFPWA_k(T_1, T_2, \dots, T_m) &= \frac{\bigoplus_{j=1}^m (k_j(1 + J(T_j))T_j)}{\sum_{j=1}^m k_j(1 + J(T_j))} = \\ &\left( 1 - \prod_{j=1}^m \left(1 - (l_j)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}}\right), \prod_{j=1}^m \left(m_j\right)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}} \right), \end{aligned}$$

and




Figure 1. Five steps flow chart of interval-valued TWD model.

$$IFPWG_k(T_1, T_2, \dots, T_m) = \frac{\otimes_{j=1}^m (k_j(1 + J(T_j)T_j))}{\sum_{j=1}^m k_j(1 + J(T_j))} = \left( \prod_{j=1}^m \left( l_j \right)^{\frac{k_j(1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}}, 1 - \prod_{j=1}^m \left( 1 - (m_j) \right)^{\frac{k_j((1+J(T_j))}{\sum_{j=1}^m k_j(1+J(T_j))}} \right),$$

**Step 3.** Determine the interval-valued equivalence classes based on the interval specified in Definition 13.

**Step 4.** Discretize the upper approximation class and lower approximation class defined in Definition 15.

**Step 5.** Categorize the options into the POS, NEG, and BND regions based on their approximate classes.

### 5. Mathematical Model

Now, we offer an illustrative case that serves as a practical example for making decisions regarding the investigation of medical issues, with a focus on confirming or ruling out diseases in patients.

#### 5.1 Explanation of the Problem

Medical diagnosis involves identifying the specific illness or condition that matches a person's symptoms. Healthcare professionals strive to make precise determinations by evaluating a patient's symptoms. It's a process where doctors select a particular disease based on the symptoms exhibited by an individual. The use of IFRS aids healthcare experts in handling complex linguistic concepts and minimizes inaccuracies. The effectiveness of IFRS in medical diagnosis is demonstrated in references [17, 28]. Figure 2 provides a visual representation of the medical diagnosis procedure.

Suppose that a collection of alternatives denoted as  $P_i$  (where  $i = 1, 2, \dots, 15$ ), participates in the investigation to diagnose the disease "Coronavirus."

Additionally, let  $I$  be the group of conditional attributes, specifically  $B = \{B_1 (Chest\ pain), B_2 (Fever), B_3 (Fatigue), B_4 (Cough), \}$ . Furthermore, the set  $U$ , represented as  $U = \{P_1, P_2, P_4, P_{15}, P_{11}\}$ , indicates the decision attributes that provide the concept of "Yes" for the disease. Let the experts diagnose the disease for all participants and classify their decisions using the weighty vector  $k = \{0.2, 0.3, 0.4, 0.1\}$ . We will now employ a step-by-step algorithm to provide a detailed explanation of this medical condition.




Figure 2. Medical diagnosis diagram.

Step 1: Table 1 represents the IF data of patients.

Table 1. An information Table of alternative conditions.

At	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	B <sub>4</sub>	D
P <sub>1</sub>	(0.1,0.3)	(0.4,0.5)	(0.1,0.5)	(0.1,0.5)	Yes
P <sub>2</sub>	(0.4,0.5)	(0.5,0.4)	(0.5,0.3)	(0.2,0.6)	Yes
P <sub>3</sub>	(0.2,0.3)	(0.2,0.4)	(0.6,0.2)	(0.4,0.5)	No
P <sub>4</sub>	(0.4,0.2)	(0.1,0.2)	(0.7,0.4)	(0.3,0.1)	Yes
P <sub>5</sub>	(0.5,0.3)	(0.5,0.2)	(0.3,0.2)	(0.4,0.2)	No
P <sub>6</sub>	(0.6,0.2)	(0.7,0.1)	(0.4,0.1)	(0.4,0.4)	No
P <sub>7</sub>	(0.7,0.1)	(0.2,0.2)	(0.5,0.2)	(0.5,0.2)	No
P <sub>8</sub>	(0.3,0.4)	(0.3,0.3)	(0.6,0.2)	(0.2,0.3)	No
P <sub>9</sub>	(0.4,0.2)	(0.5,0.2)	(0.7,0.2)	(0.3,0.5)	No
P <sub>10</sub>	(0.5,0.2)	(0.8,0.1)	(0.2,0.3)	(0.4,0.3)	No
P <sub>11</sub>	(0.6,0.2)	(0.9,0.1)	(0.5,0.3)	(0.5,0.4)	Yes
P <sub>12</sub>	(0.8,0.1)	(0.0,0.9)	(0.6,0.4)	(0.2,0.2)	No
P <sub>13</sub>	(0.9,0.1)	(0.3,0.2)	(0.4,0.3)	(0.4,0.3)	No
P <sub>14</sub>	(0.1,0.2)	(0.2,0.2)	(0.6,0.3)	(0.3,0.4)	No
P <sub>15</sub>	(0.8,0.1)	(0.1,0.3)	(0.3,0.4)	(0.4,0.2)	Yes

Step 2. For participants  $P_i$  calculate all the conditional attributes information applying  $IFPWA_k$  and  $IFPWG_k$  operators in the following:

$$IFPWA_k(T_1, T_2, \dots, T_m) = \frac{\oplus_{i=1}^m (k_j(1 + J(T_i)T_i))}{\sum_{i=1}^m k_j(1 + J(T_i))} = \left( 1 - \prod_{i=1}^m (1 - (l_i)^{\frac{k_j(1+J(T_i))}{\sum_{i=1}^m k_j(1+J(T_i))}}, \prod_{i=1}^m (m_i)^{\frac{k_j(1+J(T_i))}{\sum_{i=1}^m k_j(1+J(T_i))}} \right),$$

and

$$IFPWG_k(T_1, T_2, \dots, T_m) = \frac{\otimes_{i=1}^m (k_j(1 + J(T_i)T_i))}{\sum_{i=1}^m k_j(1 + J(T_i))} =$$



$$\left( \prod_{i=1}^m (l_i)^{\frac{k_j(1+J(T_i))}{\sum_{j=1}^m k_j(1+J(T_i))}}, 1 - \prod_{i=1}^m (1 - (m_i)^{\frac{k_j((1+J(T_i))}{\sum_{j=1}^m k_j(1+J(T_i))}}) \right).$$

The results are presented in Table 2.

**Table 2.** Aggregated results of all alternatives.

At	<i>IFPWA<sub>k</sub></i>	<i>IFPWG<sub>k</sub></i>
<i>P<sub>1</sub></i>	(0.203, 0.458)	(0.151, 0.470)
<i>P<sub>2</sub></i>	(0.466, 0.374)	(0.450, 0.393)
<i>P<sub>3</sub></i>	(0.429, 0.281)	(0.347, 0.306)
<i>P<sub>4</sub></i>	(0.500, 0.261)	(0.333, 0.292)
<i>P<sub>5</sub></i>	(0.409, 0.214)	(0.389, 0.217)
<i>P<sub>6</sub></i>	(0.545, 0.124)	(0.507, 0.142)
<i>P<sub>7</sub></i>	(0.471, 0.177)	(0.401, 0.183)
<i>P<sub>8</sub></i>	(0.452, 0.261)	(0.400, 0.275)
<i>P<sub>9</sub></i>	(0.581, 0.213)	(0.541, 0.226)
<i>P<sub>10</sub></i>	(0.523, 0.201)	(0.372, 0.227)
<i>P<sub>11</sub></i>	(0.703, 0.205)	(0.615, 0.236)
<i>P<sub>12</sub></i>	(0.507, 0.384)	(0.00, 0.618)
<i>P<sub>13</sub></i>	(0.535, 0.220)	(0.420, 0.239)
<i>P<sub>14</sub></i>	(0.411, 0.252)	(0.302, 0.262)
<i>P<sub>15</sub></i>	(0.395, 0.276)	(0.259, 0.312)

**Step 3.** Determine the interval-based equivalence classes applying the prescribed method with a step size of  $n = 5$  as illustrated in Table 3.

**Table 3.** Interval-valued equivalence classes.

<i>IFPWA<sub>k</sub></i>	$[P_1] = \{P_1\}$ $[P_2] = \{P_2, P_3, P_4, P_5, P_7, P_8, P_{14}\}$ $[P_6] = \{P_6, P_9, P_{10}, P_{12}, P_{13}\}$ $[P_{11}] = \{P_{11}\}$ $[P_{15}] = \{P_{15}\}$
<i>IFPWG<sub>k</sub></i>	$[P_1] = \{P_1\}$ $[P_2] = \{P_2, P_5, P_7, P_8, P_{10}, P_{13}\}$ $[P_3] = \{P_3, P_4, P_{14}, P_{15}\}$ $[P_6] = \{P_6, P_9, P_{11}\}$ $[P_{12}] = \{P_{12}\}$

**Step 4.** Determine the lower approximation and upper approximation by Definition 15 for the given decision attributes  $U = \{P_1, P_2, P_4, P_{15}, P_{11}\}$ .

**Table 4.** Approximation classes.

<b>IFPA</b>	$Appr(U) = \{P_1, P_{15}, P_{11}\}$ $\overline{Appr}(U) = \{P_1, P_{15}, P_3, P_5, P_7, P_8, P_4, P_{14}, P_2\}$
<b>IFPG</b>	$Appr(U) = \{P_1\}$ , $\overline{Appr}(U) = \{P_1, P_2, P_3, P_4, P_5, P_6, P_7, P_8, P_9, P_{10}, P_{13}, P_{14}\}$

**Step 5.** Finally, the classification of the elements for POS, NEG, and BND regions respectively represented in Table 5.

**Table 5.** Classification of alternatives accordingly.

IFPA	IFPG
<b>POS(U) = {P<sub>1</sub>, P<sub>15</sub>, P<sub>11</sub>}</b> <b>NEG(U) = {P<sub>12</sub>, P<sub>6</sub>, P<sub>13</sub>, P<sub>9</sub>, P<sub>10</sub>}</b> <b>BND(U) = {P<sub>2</sub>, P<sub>3</sub>, P<sub>4</sub>, P<sub>8</sub>, P<sub>7</sub>, P<sub>10</sub>}</b>	<b>POS(U) = {P<sub>1</sub>}</b> <b>NEG(U) = {P<sub>12</sub>}</b> <b>BND(U) = {P<sub>2</sub>, P<sub>3</sub>, P<sub>4</sub>, P<sub>5</sub>, P<sub>6</sub>, P<sub>7</sub>, P<sub>8</sub>, P<sub>9</sub>, P<sub>10</sub>, P<sub>13</sub>, P<sub>14</sub>}</b>

Thus, the findings indicate that individuals in the POS zone have tested positive for Coronavirus disease, those in the NEG regions are free from the virus, and individuals in the BND regions have not received confirmation. Additionally, we can categorize newcomers' choices based on the descriptions of previously tested elements.

### 5.2 Advantages Offered by the Proposed Model

The proposed approach offers several advantages as outlined below:

- i. One of the key benefits of this approach is its broader applicability. It serves as a more generalized version of intuitionistic fuzzy sets. When the non-membership grades are set to zero, intuitionistic fuzzy sets transform into FSs.
- ii. Power aggregation operators prove to be highly effective and straightforward tools for addressing decision-making problems in fuzzy environments. These operators facilitate the determination of attribute values for elements and can account for their significance when aggregating data.
- iii. Many of the existing methods in the literature for TWD primarily adhere to conventional theories such as Yao's [37]. In contrast, our approach presents novel procedures for TWD, which encompass the development of power aggregation operators. Furthermore, we introduce interval-valued categories to categorize participants.
- iv. In the context of medical diagnosis, especially in complex cases, such as the one presented here, accurate disease diagnosis is a critical concern for both experts and patients. To tackle this challenge, we have established an idea that accounts for distinct patient profiles and their disease attributes. Ultimately, decisions are made based on input from experts.

## 6. Conclusion and Future Work

In conclusion, it is imperative to categorize potential solutions and opt for the most practical choices. Decision-making can be quite challenging as it varies depending on the context. Therefore, it's crucial to weigh both the pros and cons of each option. Furthermore, effective decision-making is beneficial for your overall well-being and enhances the chances of identifying the most suitable choice. It's vital to determine the exact amount of essential information that decision-makers need. In the decision-making model, the most efficient strategy involves closely focusing on your objectives.

In the article, we initially explored the fundamental concept of three-way decisions introduced by Yao [25] and the utilization of power aggregation operators. We devised an innovative approach for discretizing the information table. For classifying participants, we employed interval-valued classes, creating three zones based on these classes. The use of aggregation operators is highly advantageous for consolidating results and combining attribute values into single values. Given the significance of these operators, we employed power aggregation operators. Furthermore, we developed an algorithm for disease identification utilizing the suggested method.

Moving forward, the outcomes of this study will be extended to encompass fuzzy and rough data [41- 44], and we will devise novel aggregation operators to address real-life issues.

### Acknowledgments

The author is grateful to the editorial and reviewers, as well as the correspondent author, who offered assistance in the form of advice, assessment, and checking during the study period.

### Author Contributions

All authors contributed equally to this research.

**Data availability**

The datasets generated during and/or analyzed during the current study are not publicly available due to the privacy-preserving nature of the data but are available from the corresponding author upon reasonable request.

**Funding**

This research was not supported by any funding agency or institute.

**Conflict of interest**

The authors declare that there is no conflict of interest in the research.

**References**

1. Sox, H. C. (2007). Medical decision making. ACP Press.
2. Chen, E. L., Chung, P. C., Chen, C. L., Tsai, H. M., & Chang, C. I. (1998). An automatic diagnostic system for CT liver image classification. *IEEE transactions on biomedical engineering*, 45(6), 783-794.
3. Szolovits, P., Patil, R. S., & Schwartz, W. B. (1988). Artificial intelligence in medical diagnosis. *Annals of internal medicine*, 108(1), 80-87.
4. Ledley, R. S., & Lusted, L. B. (1959). Reasoning foundations of medical diagnosis: symbolic logic, probability, and value theory aid our understanding of how physicians' reason. *Science*, 130(3366), 9-21.
5. Awotunde, J. B., Matiluko, O. E., & Fatai, O. W. (2014). Medical diagnosis system using fuzzy logic. *African Journal of Computing & ICT*, 7(2), 99-106.
6. Pawlak, Z., Grzymala-Busse, J., Slowinski, R., & Ziarko, W. (1995). Rough sets. *Communications of the ACM*, 38(11), 88-95.
7. Salama, A. S. (2010). Bitopological rough approximations with medical applications. *Journal of King Saud University-Science*, 22(3), 177-183.
8. El-Bably, M. K., Abu-Gdairi, R., & El-Gayar, M. A. (2023). Medical diagnosis for the problem of Chikungunya disease using soft, rough sets. *AIMS Mathematics*, 8(4), 9082-9105.
9. Bai, J., Sun, B., Chu, X., Wang, T., Li, H., & Huang, Q. (2022). Neighborhood rough set-based multi-attribute prediction approach and its application of gout patients. *Applied Soft Computing*, 114, 108127.
10. Ejegwa, P. A., Onyeke, I. C., & Adah, V. (2020). An algorithm for an improved intuitionistic fuzzy correlation measure with medical diagnostic application. *Annals of Optimization Theory and Practice*, 3(3), 51-66.
11. Hosny, M. (2022). Generalization of rough sets using maximal right neighborhood systems and ideals with medical applications. *AIMS Mathematics*, 7(7), 13104-13138.
12. Al-Shami, T. M. (2022). Maximal rough neighborhoods with a medical application. *Journal of Ambient Intelligence and Humanized Computing*, 1-12.
13. Atanassov, K. T. (2012). *On intuitionistic fuzzy sets theory* (Vol. 283). Springer.
14. Jiang, Q., Huang, J., Jin, X., Wang, P., Zhou, W., & Yao, S. (2023). Medical Image Fusion Using a New Entropy Measure between Intuitionistic Fuzzy Sets Joint Gaussian Curvature Filter. *IEEE Transactions on Radiation and Plasma Medical Sciences*.
15. Mahmood, T., Ahmmad, J., Ali, Z., & Yang, M. S. (2023). Confidence Level Aggregation Operators Based on Intuition-istic Fuzzy Rough Sets with Application in Medical Diagnosis. *IEEE Access*, 11, 8674-8688.
16. Mahmood, T., Ali, W., Ali, Z., & Chinram, R. (2021). Power aggregation operators and similarity measures based on improved intuitionistic hesitant fuzzy sets and their applications to multiple attribute decision making. *Computer Modeling in Engineering & Sciences*, 126(3), 1165-1187.
17. De, S. K., Biswas, R., & Roy, A. R. (2001). An application of intuitionistic fuzzy sets in medical diagnosis. *Fuzzy sets and Systems*, 117(2), 209-213.
18. Davvaz, B., & Hassani Sadrabadi, E. (2016). An application of intuitionistic fuzzy sets in medicine. *International journal of biomathematics*, 9(03), 1650037.

19. Szmidt, E., & Kacprzyk, J. (2001). Intuitionistic fuzzy sets in intelligent data analysis for medical diagnosis. In *Compu-tational Science-ICCS 2001: International Conference San Francisco, CA, USA, May 28–30, 2001 Proceedings, Part II 1* (pp. 263-271). Springer Berlin Heidelberg.
20. Xu, Z. (2011). Approaches to multiple attribute group decision making based on intuitionistic fuzzy power aggregation operators. *Knowledge-Based Systems*, 24(6), 749-760.
21. Xu, Z., & Yager, R. R. (2006). Some geometric aggregation operators are based on intuitionistic fuzzy sets. *International journal of general systems*, 35(4), 417-433.
22. Mahmood, T., Ali, W., Ali, Z., & Chinram, R. (2021). Power aggregation operators and similarity measures based on improved intuitionistic hesitant fuzzy sets and their applications to multiple attribute decision making. *Computer Modeling in Engineering & Sciences*, 126(3), 1165-1187.
23. Senapati, T., Chen, G., Mesiar, R., & Yager, R. R. (2023). Intuitionistic fuzzy geometric aggregation operators in the framework of Aczel-Alsina triangular norms and their application to multiple attribute decision making. *Expert Sys-tems with Applications*, 212, 118832.
24. Garg, H., Ali, Z., Mahmood, T., Ali, M. R., & Alburaikan, A. (2023). Schweizer-Sklar prioritized aggregation operators for intuitionistic fuzzy information and their application in multi-attribute decision-making. *Alexandria Engineering Journal*, 67, 229-240.
25. Yao, Y. (2012, August). An outline of a theory of three-way decisions. In *International conference on rough sets and current trends in computing* (pp. 1-17). Berlin, Heidelberg: Springer Berlin Heidelberg.
26. Yao, Y. (2021). The geometry of three-way decision. *Applied Intelligence*, 51(9), 6298-6325.
27. Li, Z., Zhang, P., Xie, N., Zhang, G., & Wen, C. F. (2020). A novel three-way decision method in a hybrid information system with images and its application in medical diagnosis. *Engineering Applications of Artificial Intelligence*, 92, 103651.
28. Li, Z., Xie, N., Huang, D., & Zhang, G. (2020). A three-way decision method in a hybrid decision information system and its application in medical diagnosis. *Artificial Intelligence Review*, 53, 4707-4736.
29. Hu, J., Chen, D., & Liang, P. (2019). A novel interval three-way concept lattice model with its application in medical diagnosis. *Mathematics*, 7(1), 103.
30. Hu, B. Q. (2014). Three-way decisions space and three-way decisions. *Information sciences*, 281, 21-52.
31. Jia, F., & Liu, P. (2019). A novel three-way decision model under multiple-criteria environment. *Information Sciences*, 471, 29-51.
32. Ye, J., Zhan, J., & Xu, Z. (2020). A novel decision-making approach based on three-way decisions in fuzzy information systems. *Information Sciences*, 541, 362-390.
33. Ali, W., Shaheen, T., Haq, I. U., Toor, H., Akram, F., Garg, H., ... & Hassan, M. M. (2023). Aczel-Alsina-based aggregation operators for intuitionistic hesitant fuzzy set environment and their application to multiple attribute decision-making process. *AIMS Math*, 8(8), 18021-18039.
34. Zhang, Q., Xie, Q., & Wang, G. (2018). A novel three-way decision model with decision-theoretic rough sets using utility theory. *Knowledge-Based Systems*, 159, 321-335.
35. Liu, D., Liang, D., & Wang, C. (2016). A novel three-way decision model based on incomplete information system. *Knowledge-Based Systems*, 91, 32-45.
36. Yang, J., & Yao, Y. (2021). A three-way decision-based construction of shadowed sets from Atanassov intuitionistic fuzzy sets. *Information Sciences*, 577, 1-21.
37. Yao, Y., & Deng, X. (2011, August). Sequential three-way decisions with probabilistic rough sets. In *IEEE 10th International Conference on Cognitive Informatics and Cognitive Computing (ICCI-CC'11)* (pp. 120-125). IEEE.
38. Zhang, Q., Pang, G., & Wang, G. (2020). A novel sequential three-way decisions model based on penalty function. *Knowledge-Based Systems*, 192, 105350.
39. Dai, J., Chen, T., & Zhang, K. (2023). The intuitionistic fuzzy concept-oriented three-way decision model. *Information Sciences*, 619, 52-83.
40. Gora, P. (2023). Intuitionistic Fuzzy Modulus Similarity Measure. *International Journal of Decision Support System Technology (IJDSST)*, 15(1), 1-22.

41. Ali, W., Shaheen, T., Haq, I. U., Alballa, T., Alburaikan, A., & El-Wahed Khalifa, H. A. (2023). A Novel Generalization of Q-Rung Orthopair Fuzzy Aczel Alsina Aggregation Operators and Their Application in Wireless Sensor Networks. *Sensors*, 23(19), 8105.
42. Radenovic, S., Ali, W., Shaheen, T., Haq, I. U., Akram, F., & Toor, H. (2023). Multiple attribute decision-making based on bonferroni mean operators under square root fuzzy set environment. *Journal of Computational and Cognitive Engineering*, 2(3), 236-248.
43. Haq, I. U., Shaheen, T., Ali, W., Toor, H., Senapati, T., Pilla, F., & Moslem, S. (2023). Novel Fermatean Fuzzy Aczel–Alsina Model for Investment Strategy Selection. *Mathematics*, 11(14), 3211.
44. Ali, W., Shaheen, T., Toor, H. G., Alballa, T., Alburaikan, A., & Khalifa, H. A. E. W. (2023). An Improved Intuitionistic Fuzzy Decision-Theoretic Rough Set Model and Its Application. *Axioms*, 12(11), 1003

**Received:** 05 Jan 2024, **Revised:** 11 Apr 2024,

**Accepted:** 12 May 2024, **Available online:** 15 May 2024.



© 2024 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

**Disclaimer/Publisher’s Note:** The perspectives, opinions, and data shared in all publications are the sole responsibility of the individual authors and contributors, and do not necessarily reflect the views of Sciences Force or the editorial team. Sciences Force and the editorial team disclaim any liability for potential harm to individuals or property resulting from the ideas, methods, instructions, or products referenced in the content.